



# **HLA and DIS made easy with coreDS™**

#### Overview

coreDS™ X-Plane is a plugin that turns your X-Plane flight simulator into a full featured HLA federate and/or DIS simulation.

Scripting functionality provides the flexibility needed by the end user to fully customize the simulator behaviour. coreDS™ X-Plane also provides a complete LUA scripting engine deeply integrated with X-Plane. For instance, you can create an OpenGL object when a given Interaction or PDU is received.

The software provides all the configuration GUIs, data encoding, a scripting engine, rate limiting capability and default configurations.

#### Main features

- Supports X-Plane 11 and 12;
- •Cost-effective solution using proven technologies save time and money:
- Provides configuration GUIs;
- •Switch configuration at runtime from HLA to DIS, or to a new set of mapping, or FOM, or anything you can think of;
- •Lightweight scripting engine (LUA) to do on-the-fly data conversion, reply to messages or update objects;
- •Data mapping at run time. Change your FOM file or PDU mapping on the fly;
- Integrated dead reckoning;
- •Support most distributed simulation concepts out of the box.

#### Advanced features

- Weapons and colisions support;
- •Display external entities and events on the local map and/or IOS;
- •Display external entities and events in the 3D world with custom models;
- Multiplayer mode;
- Multiscreen support;
- Built-in debugging tools.



# **High-Level Architecture (HLA)**

## Supported protocols

- •HLA DOD 1.3
- •HLA IEEE 1516-2000
- •HLA IEEE 1516-2010 (HLA1516e)
- •HLA IEEE 1516-2025 (HLA4)

### Supported RTIs

- •All commercial RTIs (Pitch, MAK, RTI Ng Pro, RTI-S, Raytheon RTI, CAE RTI)
- Most OpenSource RTIs (Portico, Certi, Open-RTI)

#### Supported FOM

- Support any valid FOM File
- •Tested with the RPR-FOM, NETN FOM

# **Distributed Interactive Simulation (DIS)**

# Supported protocols

- •DIS 5 (IEEE 1278.1-1995)
- •DIS 6 (IEEE 1278.1a-1998)
- •DIS 7 (IEEE 1278.1-2012)

#### Supported PDUs

- •All PDUs are supported
- •Custom PDUs are supported

